RAIO

RA8870

TFT LCD Controller

ESD (MM) Test Report



受委託之檢測單位 : 宜特科技股份有限公司

Integrated Service Technology Inc.

檢測完成日期 : JUL 01, 2010



Report No.: HS1006290102A RA No : 9902435-E

Version : A

ESD (MACHINE MODE) TEST REPORT

Company : <u>RAIO TECHNOLOGY INC.</u>

Model Name : RA8870

Date Received : JUN 29, 2010

Date Tested : <u>JUL 01, 2010</u>

TESTING LABORATORY IS ACCREDITED BY:

IEC/IECQ 17025 certificate of independent test laboratory approval

IEC IECO Cer

Certificate No.: T1091

ISO 9001 certificate is approved by TUV CERT certification body of TUV NORD Cert GmbH

WE HEREBY CERTIFY THAT:

The test(s) shown in the attachment were conducted according to the indicating procedures. We assume full responsibility for the accuracy and completeness of these tests and vouch for the qualifications of all personnel performing them.

	Name	Signature	Date
Test Engineer	Wallace Lee	Walace Lee	Jul 02, 2010
Manager	Even Lin	Tunka	Jul 02, 2010

Note:

- 1. This report will be invalid if reproduced in whole or in part.
- 2. This report refers only to the specimen(s) submitted to test, and is invalid if used separately.
- 3. This report is ONLY valid with the examination seal and signature of this institute.

4. The tested specimen(s) will only be preserved for thirty days from the date issued, if not collected by the applicant.



Reliability & Failure Analysis Engineering Group 1F, No.19, Pu-ding Rd., Hsin - chu City, Taiwan, R.O.C.

Tel: 886-3-578-2266, Fax: 886-3-5770988

http://www.istgroup.com

Report No. : HS1006290102A RA No. : 9902435-E

Page 1 of 8

TABLE OF CONTENTS

1. GENERAL INFORMATION	
1.1 DESCRIPTION OF UNIT	2
2. ESD (MACHINE MODE) TEST	
2.1 TEST EQUIPMENT	3
2.2 LABORATORY AMBIENCE CONDITION	3
2.3 REFERENCE DOCUMENT	
2.4 TEST CONDITION	
2.5 SUMMARY OF TEST	
2.6 CONTENTS OF TEST	4



Reliability & Failure Analysis Engineering Group 1F, No.19, Pu-ding Rd., Hsin - chu City, Taiwan, R.O.C.

Tel: 886-3-578-2266, Fax: 886-3-5770988

http://www.istgroup.com

Report No.: HS1006290102A RA No.: 9902435-E Page 2 of 8

1. GENERAL INFORMATION

1.1 DESCRIPTION OF UNIT

MANUFACTURER : RAIO TECHNOLOGY INC.S

DEVICE NAME : RA8870
PACKAGED / PIN COUNT : LQFP-128


REFERENCE DOCUMENT : JEDEC EIA/JESD22-A115

TEST VOLTAGE : 200V ~ 400V (±), Step: 100V (±)

SAMPLE QUANTITY : 18 ea

FAILURE CRITERIA : FOR V CHANGE AT 1µA ±30%

¾ Failure Judgment: IV curve shift over 1µA±30% at breakdown point.





Reliability & Failure Analysis Engineering Group 1F, No.19, Pu-ding Rd., Hsin - chu City, Taiwan, R.O.C.

Tel: 886-3-578-2266, Fax: 886-3-5770988

http://www.istgroup.com

Report No.: HS1006290102A RA No. : 9902435-E

Page 3 of 8

2. ESD (MACHINE MODE) TEST

2.1 TEST EQUIPMENT

Test Equipment	Equipment Number	Tester		
KEYTEK ZAPMASTER	#2	10070		

2.2 LABORATORY AMBIENCE CONDITION

Temperature: 23±5°C

Relative humidity: 55%±10% (RH)

2.3 REFERENCE DOCUMENT

The test is based on JEDEC EIA/JESD22-A115

2.4 TEST CONDITION

ALL - VSS (+)

ALL - VSS (-)

ALL - VCC (+)

ALL – VCC (-)

VCC - VSS (+)

VCC - VSS (-)

2.5 SUMMARY OF TEST

Test Model : MM	ESD Sensitivity	Passed : <u>±300V</u>	JEDEC Classification Class : <u>B</u>	
Test condition	Sample Quantity	Passed Volts	Class A : <200V.	
ALL – VSS (+)	3	+400V	Class B : ≥200V , <400V Class C : ≥400V	
ALL – VSS (-)	3	-400V	. <u>⊆</u> 400√	
ALL – VCC (+)	3	+400V		
ALL – VCC (-)	3	-300V		
VCC – VSS (+)	3	+300V		
VCC – VSS (-)	3	-400V	6 43 45 66 72 73 05 06 112 113	

ESD_ALL:2-3,7-8,10-42,46-65,67-69,74-93,98-110,11 VCC:1,4,6,43,45,66,72-73,95-96,112-113

4-127

L/U_I/O:16-31,58-63,109-110,114-127

L/U_I/P:12-15,104-108

L/U_I/O:7-8,10-11,32-42,46-57,64-65,67-69,74-93,98

VCC1.8V:4,43,73,112

VCC3.3V:1,6,45,66,72,95-96,113 VSS:5,9,44,70-71,94,97,111,128

Integrated Service Technology Inc.

Reliability & Failure Analysis Engineering Group 1F, No.19, Pu-ding Rd., Hsin - chu City, Taiwan, R.O.C.

Tel: 886-3-578-2266, Fax: 886-3-5770988

http://www.istgroup.com

Report No.: HS1006290102A

RA No. : 9902435-E

Page 4 of 8

2.6 CONTENTS OF TEST

CONTENTS O	FIESI						
			ALL –	VSS (+)			(UNIT:V)
Test FAIL Pin VOLTAGE	#1	#2	#3	Test FAIL Pin VOLTAGE	#1	#2	#3
2	PASS	PASS	PASS	63	PASS	PASS	PASS
3	PASS	PASS	PASS	64	PASS	PASS	PASS
7	PASS	PASS	PASS	65	PASS	PASS	PASS
8	PASS	PASS	PASS	67	PASS	PASS	PASS
10	PASS	PASS	PASS	68	PASS	PASS	PASS
11	PASS	PASS	PASS	69	PASS	PASS	PASS
12	PASS	PASS	PASS	74	PASS	PASS	PASS
13	PASS	PASS	PASS	75	PASS	PASS	PASS
14	PASS	PASS	PASS	76	PASS	PASS	PASS
15	PASS	PASS	PASS	77	PASS	PASS	PASS
16	PASS	PASS	PASS	78	PASS	PASS	PASS
17	PASS	PASS	PASS	79	PASS	PASS	PASS
18	PASS	PASS	PASS	80	PASS	PASS	PASS
19	PASS	PASS	PASS	81	PASS	PASS	PASS
20	PASS	PASS	PASS	82	PASS	PASS	PASS
21	PASS	PASS	PASS	83	PASS	PASS	PASS
22	PASS	PASS	PASS	84	PASS	PASS	PASS
23	PASS	PASS	PASS	85	PASS	PASS	PASS
24	PASS	PASS	PASS	86	PASS	PASS	PASS
25	PASS	PASS	PASS	87	PASS	PASS	PASS
26	PASS	PASS	PASS	88	PASS	PASS	PASS
27	PASS	PASS	PASS	89	PASS	PASS	PASS
28	PASS	PASS	PASS	90	PASS	PASS	PASS
29	PASS	PASS	PASS	91	PASS	PASS	PASS
30	PASS	PASS	PASS	92	PASS	PASS	PASS
31	PASS	PASS	PASS	93	PASS	PASS	PASS
32	PASS	PASS	PASS	98	PASS	PASS	PASS
33	PASS	PASS	PASS	99	PASS	PASS	PASS
34	PASS	PASS	PASS	100	PASS	PASS	PASS
35	PASS	PASS	PASS	101	PASS	PASS	PASS
36	PASS	PASS	PASS	102	PASS	PASS	PASS
37	PASS	PASS	PASS	103	PASS	PASS	PASS
38	PASS	PASS	PASS	104	PASS	PASS	PASS
39	PASS	PASS	PASS	105	PASS	PASS	PASS
40	PASS	PASS	PASS	106	PASS	PASS	PASS
41	PASS	PASS	PASS	107	PASS	PASS	PASS
42	PASS	PASS	PASS	108	PASS	PASS	PASS
46	PASS	PASS	PASS	109	PASS	PASS	PASS
47	PASS	PASS	PASS	110	PASS	PASS	PASS
48	PASS	PASS	PASS	114	PASS	PASS	PASS
49	PASS	PASS	PASS	115	PASS	PASS	PASS
50	PASS	PASS	PASS	116	PASS	PASS	PASS
51	PASS	PASS	PASS	117	PASS	PASS	PASS
52	PASS	PASS	PASS	117	PASS	PASS	PASS
52 53	PASS	PASS	PASS	119	PASS PASS	PASS	PASS
53 54	PASS	PASS	PASS	120	PASS PASS	PASS	PASS
<u>55</u>	PASS	PASS	PASS PASS	121	PASS	PASS	PASS
<u>56</u>	PASS	PASS		122	PASS	PASS	PASS
57 50	PASS	PASS	PASS	123	PASS	PASS	PASS
<u>58</u>	PASS	PASS	PASS	124	PASS	PASS	PASS
59	PASS	PASS	PASS	125	PASS	PASS	PASS
60	PASS	PASS	PASS	126	PASS	PASS	PASS
61	PASS	PASS	PASS	127	PASS	PASS	PASS
62	PASS	PASS	PASS]			

Integrated Service Technology Inc.

Reliability & Failure Analysis Engineering Group 1F, No.19, Pu-ding Rd., Hsin - chu City, Taiwan, R.O.C.

Tel: 886-3-578-2266, Fax: 886-3-5770988

http://www.istgroup.com

Report No.: HS1006290102A

RA No. : 9902435-E Page 5 of 8

			ALL –	VSS (-)			(UNIT:V)
Test FAIL Pin VOLTAGE	#1	#2	#3	Test FAIL Pin VOLTAGE	#1	#2	#3
2	PASS	PASS	PASS	63	PASS	PASS	PASS
3	PASS	PASS	PASS	64	PASS	PASS	PASS
7	PASS	PASS	PASS	65	PASS	PASS	PASS
8	PASS	PASS	PASS	67	PASS	PASS	PASS
10	PASS	PASS	PASS	68	PASS	PASS	PASS
11	PASS	PASS	PASS	69	PASS	PASS	PASS
12	PASS	PASS	PASS	74	PASS	PASS	PASS
13	PASS	PASS	PASS	75	PASS	PASS	PASS
14	PASS	PASS	PASS	76	PASS	PASS	PASS
15	PASS	PASS	PASS	77	PASS	PASS	PASS
16	PASS	PASS	PASS	78	PASS	PASS	PASS
17	PASS	PASS	PASS	79	PASS	PASS	PASS
18	PASS	PASS	PASS	80	PASS	PASS	PASS
19	PASS	PASS	PASS	81	PASS	PASS	PASS
20	PASS	PASS	PASS	82	PASS	PASS	PASS
21	PASS	PASS	PASS	83	PASS	PASS	PASS
22	PASS	PASS	PASS	84	PASS	PASS	PASS
23	PASS	PASS	PASS	85	PASS	PASS	PASS
24	PASS	PASS	PASS	86	PASS	PASS	PASS
25	PASS	PASS	PASS	87	PASS	PASS	PASS
26	PASS	PASS	PASS	88	PASS	PASS	PASS
27	PASS	PASS	PASS	89	PASS	PASS	PASS
28	PASS	PASS	PASS	90	PASS	PASS	PASS
29	PASS	PASS	PASS	91	PASS	PASS	PASS
30	PASS	PASS	PASS	92	PASS	PASS	PASS
31	PASS	PASS	PASS	93	PASS	PASS	PASS
32	PASS	PASS	PASS	98	PASS	PASS	PASS
33	PASS	PASS	PASS	99	PASS	PASS	PASS
34	PASS	PASS	PASS	100	PASS	PASS	PASS
35	PASS	PASS	PASS	101	PASS	PASS	PASS
36	PASS	PASS	PASS	102	PASS	PASS	PASS
37	PASS	PASS	PASS	103	PASS	PASS	PASS
38	PASS	PASS	PASS	104	PASS	PASS	PASS
39	PASS	PASS	PASS	105	PASS	PASS	PASS
40	PASS	PASS	PASS	106	PASS	PASS	PASS
41	PASS	PASS	PASS	107	PASS	PASS	PASS
42	PASS	PASS	PASS	108	PASS	PASS	PASS
46	PASS	PASS	PASS	109	PASS	PASS	PASS
47	PASS	PASS	PASS	110	PASS	PASS	PASS
48	PASS	PASS	PASS	114	PASS	PASS	PASS
49	PASS	PASS	PASS	115	PASS	PASS	PASS
50	PASS	PASS	PASS	116	PASS	PASS	PASS
51	PASS	PASS	PASS	117	PASS	PASS	PASS
52	PASS	PASS	PASS	118	PASS	PASS	PASS
53	PASS	PASS	PASS	119	PASS	PASS	PASS
54	PASS	PASS	PASS	120	PASS	PASS	PASS
55	PASS	PASS	PASS	121	PASS	PASS	PASS
56	PASS	PASS	PASS	122	PASS	PASS	PASS
57	PASS	PASS	PASS	123	PASS	PASS	PASS
58	PASS	PASS	PASS	124	PASS	PASS	PASS
59	PASS	PASS	PASS	125	PASS	PASS	PASS
60	PASS	PASS	PASS	126	PASS	PASS	PASS
61	PASS	PASS	PASS	127	PASS	PASS	PASS
62	PASS	PASS	PASS				
UL.	17.00	17.00	17.00	1		<u> </u>	

Integrated Service Technology Inc.

Reliability & Failure Analysis Engineering Group 1F, No.19, Pu-ding Rd., Hsin - chu City, Taiwan, R.O.C.

Tel: 886-3-578-2266, Fax: 886-3-5770988

http://www.istgroup.com

Report No.: HS1006290102A

RA No. : 9902435-E

Page 6 of 8

ALL – VCC (+)							(UNIT:V)
Test FAIL Pin VOLTAGE	#1	#2	#3	Test FAIL Pin VOLTAGE	#1	#2	#3
2	PASS	PASS	PASS	63	PASS	PASS	PASS
3	PASS	PASS	PASS	64	PASS	PASS	PASS
7	PASS	PASS	PASS	65	PASS	PASS	PASS
8	PASS	PASS	PASS	67	PASS	PASS	PASS
10	PASS	PASS	PASS	68	PASS	PASS	PASS
11	PASS	PASS	PASS	69	PASS	PASS	PASS
12	PASS	PASS	PASS	74	PASS	PASS	PASS
13	PASS	PASS	PASS	75	PASS	PASS	PASS
14	PASS	PASS	PASS	76	PASS	PASS	PASS
15	PASS	PASS	PASS	77	PASS	PASS	PASS
	PASS		PASS		PASS	PASS	PASS
16		PASS		78			
17	PASS	PASS	PASS	79	PASS	PASS	PASS
18	PASS	PASS	PASS	80	PASS	PASS	PASS
19	PASS	PASS	PASS	81	PASS	PASS	PASS
20	PASS	PASS	PASS	82	PASS	PASS	PASS
21	PASS	PASS	PASS	83	PASS	PASS	PASS
22	PASS	PASS	PASS	84	PASS	PASS	PASS
23	PASS	PASS	PASS	85	PASS	PASS	PASS
24	PASS	PASS	PASS	86	PASS	PASS	PASS
25	PASS	PASS	PASS	87	PASS	PASS	PASS
26	PASS	PASS	PASS	88	PASS	PASS	PASS
27	PASS	PASS	PASS	89	PASS	PASS	PASS
28	PASS	PASS	PASS	90	PASS	PASS	PASS
29	PASS	PASS	PASS	91	PASS	PASS	PASS
30	PASS	PASS	PASS	92	PASS	PASS	PASS
31	PASS	PASS	PASS	93	PASS	PASS	PASS
32	PASS	PASS	PASS	98	PASS	PASS	PASS
33	PASS	PASS	PASS	99	PASS	PASS	PASS
34	PASS	PASS	PASS	100	PASS	PASS	PASS
35	PASS	PASS	PASS	101	PASS	PASS	PASS
36	PASS	PASS	PASS	102	PASS	PASS	PASS
37	PASS	PASS	PASS	103	PASS	PASS	PASS
38	PASS	PASS	PASS	104	PASS	PASS	PASS
39	PASS	PASS	PASS	105	PASS	PASS	PASS
40	PASS	PASS	PASS	106	PASS	PASS	PASS
41	PASS	PASS	PASS	107	PASS	PASS	PASS
42	PASS	PASS	PASS	108	PASS	PASS	PASS
46	PASS	PASS	PASS	109	PASS	PASS	PASS
47	PASS	PASS	PASS	110	PASS	PASS	PASS
48	PASS	PASS	PASS	114	PASS	PASS	PASS
49	PASS	PASS	PASS	115	PASS	PASS	PASS
50	PASS	PASS	PASS	116	PASS	PASS	PASS
51	PASS	PASS	PASS	117	PASS PASS	PASS	PASS
			PASS			PASS	
<u>52</u>	PASS	PASS		118	PASS		PASS
<u>53</u>	PASS	PASS	PASS	119	PASS	PASS	PASS
<u>54</u>	PASS	PASS	PASS	120	PASS	PASS	PASS
<u>55</u>	PASS	PASS	PASS	121	PASS	PASS	PASS
<u>56</u>	PASS	PASS	PASS	122	PASS	PASS	PASS
57	PASS	PASS	PASS	123	PASS	PASS	PASS
58	PASS	PASS	PASS	124	PASS	PASS	PASS
59	PASS	PASS	PASS	125	PASS	PASS	PASS
60	PASS	PASS	PASS	126	PASS	PASS	PASS
61	PASS	PASS	PASS	127	PASS	PASS	PASS
62	PASS	PASS	PASS				

Integrated Service Technology Inc.

Reliability & Failure Analysis Engineering Group 1F, No.19, Pu-ding Rd., Hsin - chu City, Taiwan, R.O.C.

Tel: 886-3-578-2266, Fax: 886-3-5770988

http://www.istgroup.com

Report No.: HS1006290102A

RA No. : 9902435-E

Page 7 of 8

			ALL –	VCC (-)			(UNIT:V)
Test FAIL Pin VOLTAGE	#1	#2	#3	Test FAIL Pin VOLTAGE	#1	#2	#3
2	-400	PASS	PASS	63	PASS	PASS	PASS
3	PASS	PASS	-400	64	PASS	PASS	PASS
7	PASS	PASS	PASS	65	PASS	PASS	PASS
8	PASS	PASS	PASS	67	PASS	PASS	PASS
10	PASS	PASS	PASS	68	PASS	PASS	PASS
11	PASS				PASS		
		PASS	PASS	69		PASS	PASS
12	PASS	PASS	PASS	74	PASS	PASS	PASS
13	PASS	PASS	PASS	75	PASS	PASS	PASS
14	PASS	PASS	PASS	76	PASS	PASS	PASS
15	PASS	PASS	PASS	77	PASS	PASS	PASS
16	PASS	PASS	PASS	78	PASS	PASS	PASS
17	PASS	PASS	PASS	79	PASS	PASS	PASS
18	PASS	PASS	PASS	80	PASS	PASS	PASS
19	PASS	PASS	PASS	81	PASS	PASS	PASS
20	PASS	PASS	PASS	82	PASS	PASS	PASS
21	PASS	PASS	PASS	83	PASS	PASS	PASS
22	PASS	PASS	PASS	84	PASS	PASS	PASS
23	PASS	PASS	PASS	85	PASS	PASS	PASS
24	PASS	PASS	PASS	86	PASS	PASS	PASS
25	PASS	PASS	PASS	87	PASS	PASS	PASS
26	PASS	PASS	PASS	88	PASS	PASS	PASS
27	PASS	PASS	PASS	89	PASS	PASS	PASS
							PASS
28	PASS PASS	PASS PASS	PASS	90	PASS PASS	PASS PASS	
29			PASS	91			PASS
30	PASS	PASS	PASS	92	PASS	PASS	PASS
31	PASS	PASS	PASS	93	PASS	PASS	PASS
32	PASS	PASS	PASS	98	PASS	PASS	PASS
33	PASS	PASS	PASS	99	PASS	PASS	PASS
34	PASS	PASS	PASS	100	PASS	PASS	PASS
35	PASS	PASS	PASS	101	PASS	PASS	PASS
36	PASS	PASS	PASS	102	PASS	PASS	PASS
37	PASS	PASS	PASS	103	PASS	PASS	PASS
38	PASS	PASS	PASS	104	PASS	PASS	PASS
39	PASS	PASS	PASS	105	PASS	PASS	PASS
40	PASS	PASS	PASS	106	PASS	PASS	PASS
41	PASS	PASS	PASS	107	PASS	PASS	PASS
42	PASS	PASS	PASS	108	PASS	PASS	PASS
46	PASS	PASS	PASS	109	PASS	PASS	PASS
47	PASS	PASS	PASS	110	PASS	PASS	PASS
48	PASS	PASS	PASS	114	PASS	PASS	PASS
49	PASS	PASS	PASS	115	PASS	PASS	PASS
50	PASS	PASS	PASS	116	PASS	PASS	PASS
51	PASS	PASS	PASS	117	PASS	PASS	PASS
52	PASS	PASS	PASS	117	PASS	PASS	PASS
53			PASS	119	PASS PASS	PASS	PASS
	PASS PASS	PASS					
<u>54</u>		PASS	PASS	120	PASS	PASS	PASS
<u>55</u>	PASS	PASS	PASS	121	PASS	PASS	PASS
<u>56</u>	PASS	PASS	PASS	122	PASS	PASS	PASS
57	PASS	PASS	PASS	123	PASS	PASS	PASS
58	PASS	PASS	PASS	124	PASS	PASS	PASS
59	PASS	PASS	PASS	125	PASS	PASS	PASS
60	PASS	PASS	PASS	126	PASS	PASS	PASS
61	PASS	PASS	PASS	127	PASS	PASS	PASS
62	PASS	PASS	PASS				



Reliability & Failure Analysis Engineering Group 1F, No.19, Pu-ding Rd., Hsin - chu City, Taiwan, R.O.C.

Tel: 886-3-578-2266, Fax: 886-3-5770988

http://www.istgroup.com

Report No.: HS1006290102A RA No.: 9902435-E Page 8 of 8

VCC – VSS (+)									
Test FAIL Pin VOLTAGE	#1	#2	#3	Test FAIL Pin VOLTAGE	#1	#2	#3		
1	400	400	400	72	PASS	PASS	PASS		
4	PASS	PASS	PASS	73	PASS	PASS	PASS		
6	PASS	PASS	PASS	95	PASS	PASS	PASS		
43	PASS	PASS	PASS	96	PASS	PASS	PASS		
45	PASS	PASS	PASS	112	PASS	PASS	PASS		
66	PASS	PASS	PASS	113	PASS	PASS	PASS		

VCC – VSS (-)									
Test FAIL Pin VOLTAGE	#1	#2	#3	Test FAIL Pin VOLTAGE	#1	#2	#3		
1	PASS	PASS	PASS	72	PASS	PASS	PASS		
4	PASS	PASS	PASS	73	PASS	PASS	PASS		
6	PASS	PASS	PASS	95	PASS	PASS	PASS		
43	PASS	PASS	PASS	96	PASS	PASS	PASS		
45	PASS	PASS	PASS	112	PASS	PASS	PASS		
66	PASS	PASS	PASS	113	PASS	PASS	PASS		