ELECTROSTATIC DISCHARGE (ESD) TESTING REPORT

Applicant/Department: RAIO TECHNOLOGY INC.	Product: RA8876L4N						
Case NO: B150428021	Quantity: 18 ea						
Test Item: Human Body Model (HBM)	Package/Pin Count: QFP_128(14*14)						
Application Date: 2015/04/28	Date Finished: 2015/04/29						
Reference: JEDEC JS-001-2010	Temperature: $25 \pm 5 \degree C$ Humidity: $55 \pm 5\%$						
Test Instrument: JB_ZAP-C	Test Voltage: (+)1000V ~ (+)5000V Step: (+)1000V (-)1000V ~ (-)5000V Step: (-)1000V						
Failure Criteria:	•						

After testing, DUT no longer fulfills requirements of \pm 30% voltage drift at \pm 1uA reference current and compliance within 10% V+I envelope around REFERENCE I-V curve (pre-zap).

File Name of Raw Data: D:50428E_E

ESD Testing Result: Minimum Pass Level = ±5000V

- NOTE 1: ESD/latch-up test is employed as one of qualification tests for electronic products. However, the pass / fail results of this test can NOT be taken as go/no-go criteria for IC tape-out and mass production. <u>Before and after ESD/latch-up test(s),</u> <u>complete parametric and functional testing (F/T) are essential for determining</u> <u>pass/fail of the tested products.</u> (References: Page 9, AEC-Q100-003-Rev-E-2003; and Page 15, ESDA-JEDEC JS-001-2011).
- NOTE 2: MA-tek sample storage policy is 14 days after the test data delivery. Prolonged storage can be arranged per client's request.

WE HEREBY CERTIFY THAT:

The test(s) was/were conducted according to test conditions provided by customer.Testing was performed on calibrated and JEDEC-ESDA qualified ESD instruments.The quality and comprehensiveness of this test(s) were delivered by qualified personnel.

Tested by	Reviewed by	Approved by
yu kang	Jia Ming Lin	Edward Hu

CERTIFICATE of APPROVAL INDEPENDENT TESTING LABORATORY:

ISO9001:2008 Certificate Registration No. 20001845 QM08, issued by UL DQS Inc. IEC/IECQ17025 Certificate No. IECQ-L ULTW 09.0009, approved by Certification Body (CB): UL Registered Firm



TABLE OF CONTENTS

- 1. TEST SUMMARY
- 2. PIN ASSIGNMENT
- 3. ESD TESTING CONDITIONS
- 4. RAW DATA
- 5. APPENDIX-1 (PASS/FAIL CRITERIA)
- 6. APPENDIX-2 (ESD INSTRUMENTATION AT MA-TEK)



IEC

1. TEST SUMMARY

Report No: B150428021 Ver:A

	Pin Combination	Sample	Pass Level
	IO(+)-Power	3	+5000V
Sensitivity Pass: ±5000V	IO(-)-Power	3	-5000V
	IO(+)-Ground	3	+5000V
	IO(-)-Ground	3	-5000V
Class-3A	Power(+)-Ground	3	+5000V
JEDEC JS-001-2010	Power(-)-Ground	3	-5000V
Class-0A : 0 V - < 125 V Class-0B : 125 V - < 250 V Class-1A : 250 V - < 500 V			
Class-1A : 250 V - < 500 V Class-1B : 500 V - < 1000 V			
Class-1C : 1000 V - < 2000 V			
Class-2 : 2000 V - < 4000 V			
Class-3A : 4000 V - < 8000 V			
Class-3B : >= 8000 V			

* DUT failed at the first level of test condition, defined by client.

NOTE: Red color in raw data indicates failed pins, if any.



IEC

2. Pin ASSIGNMENT

Report No: B150428021 Ver:A

Pin Group	PAD Pins
IO	1, 2, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 90, 91, 92, 93, 94, 95, 96, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 112, 113, 114, 115, 116, 117, 118, 119, 120, 123, 124, 125, 126, 127, 128
Ground	5 , 24 , 43 , 64 , 76 , 89 , 98 , 110 , 122
LDO_CAP12	4 , 63 , 111
VDD33	3 , 23 , 42 , 62 , 75 , 88 , 97 , 109 , 121
	Ground=VSS
	Power=VDD33,LDO_CAP12

3. ESD TEST CONDITIONS

ESD Zap Interval: \geq 500 mS

Zap: 1 pulse.

Testing Combinations

IO(+)-Power IO(-)-Power IO(+)-Ground IO(-)-Ground Power(+)-Ground Power(-)-Ground



IEC

Report No: B150428021 Ver:A

IO(+)-Power(Unit: V)												
Τe	est Pin Fail Volta	ge	#01	#02	#03	Te	est Pin Fail Volta	ge	#01	#02	#03	
1	XI	1	Pass	Pass	Pass	2	XO	2	Pass	Pass	Pass	
6	XTEST[2:0]	6	Pass	Pass	Pass	7	XTEST[2:0]	7	Pass	Pass	Pass	
8	XTEST[2:0]	8	Pass	Pass	Pass	9	XPS[2:0]	9	Pass	Pass	Pass	
10	XPS[2:0]	10	Pass	Pass	Pass	11	XPS[2:0]	11	Pass	Pass	Pass	
12	XnRST	12	Pass	Pass	Pass	13	XnCS	13	Pass	Pass	Pass	
14	XnRD_EN	14	Pass	Pass	Pass	15	XnWR_RWN	15	Pass	Pass	Pass	
16	XA0	16	Pass	Pass	Pass	17	XnWAIT	17	Pass	Pass	Pass	
18	XDB[0:4]	18	Pass	Pass	Pass	19	XDB[0:4]	19	Pass	Pass	Pass	
20	XDB[0:4]	20	Pass	Pass	Pass	21	XDB[0:4]	21	Pass	Pass	Pass	
22	XDB[0:4]	22	Pass	Pass	Pass	25	XDB[5:15]	25	Pass	Pass	Pass	
26	XDB[5:15]	26	Pass	Pass	Pass	27	XDB[5:15]	27	Pass	Pass	Pass	
28	XDB[5:15]	28	Pass	Pass	Pass	29	XDB[5:15]	29	Pass	Pass	Pass	
30	XDB[5:15]	30	Pass	Pass	Pass	31	XDB[5:15]	31	Pass	Pass	Pass	
32	XDB[5:15]	32	Pass	Pass	Pass	33	XDB[5:15]	33	Pass	Pass	Pass	
34	XDB[5:15]	34	Pass	Pass	Pass	35	XDB[5:15]	35	Pass	Pass	Pass	
36	XnINTR	36	Pass	Pass	Pass	37	XnSFCS[0:1]	37	Pass	Pass	Pass	
38	XnSFCS[0:1]	38	Pass	Pass	Pass	39	XSCK	39	Pass	Pass	Pass	
40	XMOSI	40	Pass	Pass	Pass	41	XMISO	41	Pass	Pass	Pass	
44	XMBA[1:0]	44	Pass	Pass	Pass	45	XMBA[1:0]	45	Pass	Pass	Pass	
46	XMA[12:0]	46	Pass	Pass	Pass	47	XMA[12:0]	47	Pass	Pass	Pass	
48	XMA[12:0]	48	Pass	Pass	Pass	49	XMA[12:0]	49	Pass	Pass	Pass	
50	XMA[12:0]	50	Pass	Pass	Pass	51	XMA[12:0]	51	Pass	Pass	Pass	
52	XMA[12:0]	52	Pass	Pass	Pass	53	XMA[12:0]	53	Pass	Pass	Pass	
54	XMA[12:0]	54	Pass	Pass	Pass	55	XMA[12:0]	55	Pass	Pass	Pass	
56	XMA[12:0]	56	Pass	Pass	Pass	57	XMA[12:0]	57	Pass	Pass	Pass	
58	XMA[12:0]	58	Pass	Pass	Pass	59	XNMCS	59	Pass	Pass	Pass	
60	XMCKE	60	Pass	Pass	Pass	61	XMCLK	61	Pass	Pass	Pass	
65	XnMCAS	65	Pass	Pass	Pass	66	XnMRAS	66	Pass	Pass	Pass	
67	XnMWR	67	Pass	Pass	Pass	68	XMDQM0	68	Pass	Pass	Pass	
69	XMD[0:5]	69	Pass	Pass	Pass	70	XMD[0:5]	70	Pass	Pass	Pass	
71	XMD[0:5]	71	Pass	Pass	Pass	72	XMD[0:5]	72	Pass	Pass	Pass	
73	XMD[0:5]	73	Pass	Pass	Pass	74	XMD[0:5]	74	Pass	Pass	Pass	
77	XMD[6:7]	77	Pass	Pass	Pass	78	XMD[6:7]	78	Pass	Pass	Pass	
79	XMDQM1	79	Pass	Pass	Pass	80	XMD[8:15]	80	Pass	Pass	Pass	
81	XMD[8:15]	81	Pass	Pass	Pass	82	XMD[8:15]	82	Pass	Pass	Pass	
83	XMD[8:15]	83	Pass	Pass	Pass	84	XMD[8:15]	84	Pass	Pass	Pass	
85	XMD[8:15]	85	Pass	Pass	Pass	86	XMD[8:15]	86	Pass	Pass	Pass	
87	XMD[8:15]	87	Pass	Pass	Pass	90	XPWM[0:1]	90	Pass	Pass	Pass	
91	XPWM[0:1]	91	Pass	Pass	Pass	92	XKIN0	92	Pass	Pass	Pass	
93	XVSYNC	93	Pass	Pass	Pass	94	XHSYNC	94	Pass	Pass	Pass	
95	XDE	95	Pass	Pass	Pass	96	XPCLK	96	Pass	Pass	Pass	
99	XPDAT[0:9]	99	Pass	Pass	Pass	100	XPDAT[0:9]	100	Pass	Pass	Pass	
101	XPDAT[0:9]	101	Pass	Pass	Pass	102	XPDAT[0:9]	102	Pass	Pass	Pass	
103	XPDAT[0:9]	103	Pass	Pass	Pass	104	XPDAT[0:9]	104	Pass	Pass	Pass	
105	XPDAT[0:9]	105	Pass	Pass	Pass	106	XPDAT[0:9]	106	Pass	Pass	Pass	



Proprietary, DO NOT COPY WITHOUT PERMISSION The content of this report is ONLY valid to the case of corresponding report number. Any page, or pages, of this report can not be used separately.

	IO(+)-Power(Unit: V)												
Т	est Pin Fail Volta	ge	#01	#02	#03	Test Pin Fail Voltage			#01	#02	#03		
107	XPDAT[0:9]	107	Pass	Pass	Pass	108	XPDAT[0:9]	108	Pass	Pass	Pass		
112	XPDAT[10:18]	112	Pass	Pass	Pass	113	XPDAT[10:18]	113	Pass	Pass	Pass		
114	XPDAT[10:18]	114	Pass	Pass	Pass	115	XPDAT[10:18]	115	Pass	Pass	Pass		
116	XPDAT[10:18]	116	Pass	Pass	Pass	117	XPDAT[10:18]	117	Pass	Pass	Pass		
118	XPDAT[10:18]	118	Pass	Pass	Pass	119	XPDAT[10:18]	119	Pass	Pass	Pass		
120	XPDAT[10:18]	120	Pass	Pass	Pass	123	XPDAT[19:23]	123	Pass	Pass	Pass		
124	XPDAT[19:23]	124	Pass	Pass	Pass	125	XPDAT[19:23]	125	Pass	Pass	Pass		
126	XPDAT[19:23]	126	Pass	Pass	Pass	127	XPDAT[19:23]	127	Pass	Pass	Pass		
128	XKOUT0	128	Pass	Pass	Pass								



Report No: B150428021 Ver:A

IO(-)-Power(Unit: V)											
Τe	est Pin Fail Voltag	ge	#01	#02	#03	Τe	est Pin Fail Voltag	ge	#01	#02	#03
1	XI	1	Pass	Pass	Pass	2	XO	2	Pass	Pass	Pass
6	XTEST[2:0]	6	Pass	Pass	Pass	7	XTEST[2:0]	7	Pass	Pass	Pass
8	XTEST[2:0]	8	Pass	Pass	Pass	9	XPS[2:0]	9	Pass	Pass	Pass
10	XPS[2:0]	10	Pass	Pass	Pass	11	XPS[2:0]	11	Pass	Pass	Pass
12	XnRST	12	Pass	Pass	Pass	13	XnCS	13	Pass	Pass	Pass
14	XnRD_EN	14	Pass	Pass	Pass	15	XnWR_RWN	15	Pass	Pass	Pass
16	XA0	16	Pass	Pass	Pass	17	XnWAIT	17	Pass	Pass	Pass
18	XDB[0:4]	18	Pass	Pass	Pass	19	XDB[0:4]	19	Pass	Pass	Pass
20	XDB[0:4]	20	Pass	Pass	Pass	21	XDB[0:4]	21	Pass	Pass	Pass
22	XDB[0:4]	22	Pass	Pass	Pass	25	XDB[5:15]	25	Pass	Pass	Pass
26	XDB[5:15]	26	Pass	Pass	Pass	27	XDB[5:15]	27	Pass	Pass	Pass
28	XDB[5:15]	28	Pass	Pass	Pass	29	XDB[5:15]	29	Pass	Pass	Pass
30	XDB[5:15]	30	Pass	Pass	Pass	31	XDB[5:15]	31	Pass	Pass	Pass
32	XDB[5:15]	32	Pass	Pass	Pass	33	XDB[5:15]	33	Pass	Pass	Pass
34	XDB[5:15]	34	Pass	Pass	Pass	35	XDB[5:15]	35	Pass	Pass	Pass
36	XnINTR	36	Pass	Pass	Pass	37	XnSFCS[0:1]	37	Pass	Pass	Pass
38	XnSFCS[0:1]	38	Pass	Pass	Pass	39	XSCK	39	Pass	Pass	Pass
40	XMOSI	40	Pass	Pass	Pass	41	XMISO	41	Pass	Pass	Pass
44	XMBA[1:0]	44	Pass	Pass	Pass	45	XMBA[1:0]	45	Pass	Pass	Pass
46	XMA[12:0]	46	Pass	Pass	Pass	47	XMA[12:0]	47	Pass	Pass	Pass
48	XMA[12:0]	48	Pass	Pass	Pass	49	XMA[12:0]	49	Pass	Pass	Pass
50	XMA[12:0]	50	Pass	Pass	Pass	51	XMA[12:0]	51	Pass	Pass	Pass
52	XMA[12:0]	52	Pass	Pass	Pass	53	XMA[12:0]	53	Pass	Pass	Pass
54	XMA[12:0]	54	Pass	Pass	Pass	55	XMA[12:0]	55	Pass	Pass	Pass
56	XMA[12:0]	56	Pass	Pass	Pass	57	XMA[12:0]	57	Pass	Pass	Pass
58	XMA[12:0]	58	Pass	Pass	Pass	59	XNMCS	59	Pass	Pass	Pass
60	XMCKE	60	Pass	Pass	Pass	61	XMCLK	61	Pass	Pass	Pass
65	XnMCAS	65	Pass	Pass	Pass	66	XnMRAS	66	Pass	Pass	Pass
67	XnMWR	67	Pass	Pass	Pass	68	XMDQM0	68	Pass	Pass	Pass
69	XMD[0:5]	69	Pass	Pass	Pass	70	XMD[0:5]	70	Pass	Pass	Pass
71	XMD[0:5]	71	Pass	Pass	Pass	72	XMD[0:5]	72	Pass	Pass	Pass
73	XMD[0:5]	73	Pass	Pass	Pass	74	XMD[0:5]	74	Pass	Pass	Pass
77	XMD[6:7]	77	Pass	Pass	Pass	78	XMD[6:7]	78	Pass	Pass	Pass
79	XMDQM1	79	Pass	Pass	Pass	80	XMD[8:15]	80	Pass	Pass	Pass
81	XMD[8:15]	81	Pass	Pass	Pass	82	XMD[8:15]	82	Pass	Pass	Pass
83	XMD[8:15]	83	Pass	Pass	Pass	84	XMD[8:15]	84	Pass	Pass	Pass
85	XMD[8:15]	85	Pass	Pass	Pass	86	XMD[8:15]	86	Pass	Pass	Pass
87	XMD[8:15]	87	Pass	Pass	Pass	90	XPWM[0:1]	90	Pass	Pass	Pass
91	XPWM[0:1]	91	Pass	Pass	Pass	92	XKIN0	92	Pass	Pass	Pass
93	XVSYNC	93	Pass	Pass	Pass	94	XHSYNC	94	Pass	Pass	Pass
95	XDE	95	Pass	Pass	Pass	96	XPCLK	96	Pass	Pass	Pass
99	XPDAT[0:9]	99	Pass	Pass	Pass	100	XPDAT[0:9]	100	Pass	Pass	Pass
101	XPDAT[0:9]	101	Pass	Pass	Pass	102	XPDAT[0:9]	102	Pass	Pass	Pass
103	XPDAT[0:9]	103	Pass	Pass	Pass	104	XPDAT[0:9]	104	Pass	Pass	Pass
105	XPDAT[0:9]	105	Pass	Pass	Pass	106	XPDAT[0:9]	106	Pass	Pass	Pass



	IO(-)-Power(Unit: V)												
Т	est Pin Fail Volta	ge	#01	#02	#03	Test Pin Fail Voltage			#01	#02	#03		
107	XPDAT[0:9]	107	Pass	Pass	Pass	108	XPDAT[0:9]	108	Pass	Pass	Pass		
112	XPDAT[10:18]	112	Pass	Pass	Pass	113	XPDAT[10:18]	113	Pass	Pass	Pass		
114	XPDAT[10:18]	114	Pass	Pass	Pass	115	XPDAT[10:18]	115	Pass	Pass	Pass		
116	XPDAT[10:18]	116	Pass	Pass	Pass	117	XPDAT[10:18]	117	Pass	Pass	Pass		
118	XPDAT[10:18]	118	Pass	Pass	Pass	119	XPDAT[10:18]	119	Pass	Pass	Pass		
120	XPDAT[10:18]	120	Pass	Pass	Pass	123	XPDAT[19:23]	123	Pass	Pass	Pass		
124	XPDAT[19:23]	124	Pass	Pass	Pass	125	XPDAT[19:23]	125	Pass	Pass	Pass		
126	XPDAT[19:23]	126	Pass	Pass	Pass	127	XPDAT[19:23]	127	Pass	Pass	Pass		
128	XKOUT0	128	Pass	Pass	Pass								



Report No: B150428021 Ver:A

	IO(+)-Ground(Unit: V)												
Τe	est Pin Fail Volta	ge	#01	#02	#03	Te	est Pin Fail Voltag	ge	#01	#02	#03		
1	XI	1	Pass	Pass	Pass	2	XO	2	Pass	Pass	Pass		
6	XTEST[2:0]	6	Pass	Pass	Pass	7	XTEST[2:0]	7	Pass	Pass	Pass		
8	XTEST[2:0]	8	Pass	Pass	Pass	9	XPS[2:0]	9	Pass	Pass	Pass		
10	XPS[2:0]	10	Pass	Pass	Pass	11	XPS[2:0]	11	Pass	Pass	Pass		
12	XnRST	12	Pass	Pass	Pass	13	XnCS	13	Pass	Pass	Pass		
14	XnRD_EN	14	Pass	Pass	Pass	15	XnWR_RWN	15	Pass	Pass	Pass		
16	XA0	16	Pass	Pass	Pass	17	XnWAIT	17	Pass	Pass	Pass		
18	XDB[0:4]	18	Pass	Pass	Pass	19	XDB[0:4]	19	Pass	Pass	Pass		
20	XDB[0:4]	20	Pass	Pass	Pass	21	XDB[0:4]	21	Pass	Pass	Pass		
22	XDB[0:4]	22	Pass	Pass	Pass	25	XDB[5:15]	25	Pass	Pass	Pass		
26	XDB[5:15]	26	Pass	Pass	Pass	27	XDB[5:15]	27	Pass	Pass	Pass		
28	XDB[5:15]	28	Pass	Pass	Pass	29	XDB[5:15]	29	Pass	Pass	Pass		
30	XDB[5:15]	30	Pass	Pass	Pass	31	XDB[5:15]	31	Pass	Pass	Pass		
32	XDB[5:15]	32	Pass	Pass	Pass	33	XDB[5:15]	33	Pass	Pass	Pass		
34	XDB[5:15]	34	Pass	Pass	Pass	35	XDB[5:15]	35	Pass	Pass	Pass		
36	XnINTR	36	Pass	Pass	Pass	37	XnSFCS[0:1]	37	Pass	Pass	Pass		
38	XnSFCS[0:1]	38	Pass	Pass	Pass	39	XSCK	39	Pass	Pass	Pass		
40	XMOSI	40	Pass	Pass	Pass	41	XMISO	41	Pass	Pass	Pass		
44	XMBA[1:0]	44	Pass	Pass	Pass	45	XMBA[1:0]	45	Pass	Pass	Pass		
46	XMA[12:0]	46	Pass	Pass	Pass	47	XMA[12:0]	47	Pass	Pass	Pass		
48	XMA[12:0]	48	Pass	Pass	Pass	49	XMA[12:0]	49	Pass	Pass	Pass		
50	XMA[12:0]	50	Pass	Pass	Pass	51	XMA[12:0]	51	Pass	Pass	Pass		
52	XMA[12:0]	52	Pass	Pass	Pass	53	XMA[12:0]	53	Pass	Pass	Pass		
54	XMA[12:0]	54	Pass	Pass	Pass	55	XMA[12:0]	55	Pass	Pass	Pass		
56	XMA[12:0]	56	Pass	Pass	Pass	57	XMA[12:0]	57	Pass	Pass	Pass		
58	XMA[12:0]	58	Pass	Pass	Pass	59	XNMCS	59	Pass	Pass	Pass		
60	XMCKE	60	Pass	Pass	Pass	61	XMCLK	61	Pass	Pass	Pass		
65	XnMCAS	65	Pass	Pass	Pass	66	XnMRAS	66	Pass	Pass	Pass		
67	XnMWR	67	Pass	Pass	Pass	68	XMDQM0	68	Pass	Pass	Pass		
69	XMD[0:5]	69	Pass	Pass	Pass	70	XMD[0:5]	70	Pass	Pass	Pass		
71	XMD[0:5]	71	Pass	Pass	Pass	72	XMD[0:5]	72	Pass	Pass	Pass		
73	XMD[0:5]	73	Pass	Pass	Pass	74	XMD[0:5]	74	Pass	Pass	Pass		
77	XMD[6:7]	77	Pass	Pass	Pass	78	XMD[6:7]	78	Pass	Pass	Pass		
79	XMDQM1	79	Pass	Pass	Pass	80	XMD[8:15]	80	Pass	Pass	Pass		
81	XMD[8:15]	81	Pass	Pass	Pass	82	XMD[8:15]	82	Pass	Pass	Pass		
83	XMD[8:15]	83	Pass	Pass	Pass	84	XMD[8:15]	84	Pass	Pass	Pass		
85	XMD[8:15]	85	Pass	Pass	Pass	86	XMD[8:15]	86	Pass	Pass	Pass		
87	XMD[8:15]	87	Pass	Pass	Pass	90	XPWM[0:1]	90	Pass	Pass	Pass		
91	XPWM[0:1]	91	Pass	Pass	Pass	92	XKIN0	92	Pass	Pass	Pass		
93	XVSYNC	93	Pass	Pass	Pass	94	XHSYNC	94	Pass	Pass	Pass		
95	XDE	95	Pass	Pass	Pass	96	XPCLK	96	Pass	Pass	Pass		
99	XPDAT[0:9]	99	Pass	Pass	Pass	100	XPDAT[0:9]	100	Pass	Pass	Pass		
101	XPDAT[0:9]	101	Pass	Pass	Pass	102	XPDAT[0:9]	102	Pass	Pass	Pass		
103	XPDAT[0:9]	103	Pass	Pass	Pass	104	XPDAT[0:9]	104	Pass	Pass	Pass		
105	XPDAT[0:9]	105	Pass	Pass	Pass	106	XPDAT[0:9]	106	Pass	Pass	Pass		



Proprietary, DO NOT COPY WITHOUT PERMISSION The content of this report is ONLY valid to the case of corresponding report number. Any page, or pages, of this report can not be used separately.

	IO(+)-Ground(Unit: V)												
Т	est Pin Fail Volta	ge	#01	#02	#03	Τe	est Pin Fail Voltag	ge	#01	#02	#03		
107	XPDAT[0:9]	107	Pass	Pass	Pass	108	XPDAT[0:9]	108	Pass	Pass	Pass		
112	XPDAT[10:18]	112	Pass	Pass	Pass	113	XPDAT[10:18]	113	Pass	Pass	Pass		
114	XPDAT[10:18]	114	Pass	Pass	Pass	115	XPDAT[10:18]	115	Pass	Pass	Pass		
116	XPDAT[10:18]	116	Pass	Pass	Pass	117	XPDAT[10:18]	117	Pass	Pass	Pass		
118	XPDAT[10:18]	118	Pass	Pass	Pass	119	XPDAT[10:18]	119	Pass	Pass	Pass		
120	XPDAT[10:18]	120	Pass	Pass	Pass	123	XPDAT[19:23]	123	Pass	Pass	Pass		
124	XPDAT[19:23]	124	Pass	Pass	Pass	125	XPDAT[19:23]	125	Pass	Pass	Pass		
126	XPDAT[19:23]	126	Pass	Pass	Pass	127	XPDAT[19:23]	127	Pass	Pass	Pass		
128	XKOUT0	128	Pass	Pass	Pass								



Report No: B150428021 Ver:A

IO(-)-Ground(Unit: V)											
Τe	est Pin Fail Volta	ge	#01	#02	#03	Te	est Pin Fail Voltag	ge	#01	#02	#03
1	XI	1	Pass	Pass	Pass	2	XO	2	Pass	Pass	Pass
6	XTEST[2:0]	6	Pass	Pass	Pass	7	XTEST[2:0]	7	Pass	Pass	Pass
8	XTEST[2:0]	8	Pass	Pass	Pass	9	XPS[2:0]	9	Pass	Pass	Pass
10	XPS[2:0]	10	Pass	Pass	Pass	11	XPS[2:0]	11	Pass	Pass	Pass
12	XnRST	12	Pass	Pass	Pass	13	XnCS	13	Pass	Pass	Pass
14	XnRD_EN	14	Pass	Pass	Pass	15	XnWR_RWN	15	Pass	Pass	Pass
16	XA0	16	Pass	Pass	Pass	17	XnWAIT	17	Pass	Pass	Pass
18	XDB[0:4]	18	Pass	Pass	Pass	19	XDB[0:4]	19	Pass	Pass	Pass
20	XDB[0:4]	20	Pass	Pass	Pass	21	XDB[0:4]	21	Pass	Pass	Pass
22	XDB[0:4]	22	Pass	Pass	Pass	25	XDB[5:15]	25	Pass	Pass	Pass
26	XDB[5:15]	26	Pass	Pass	Pass	27	XDB[5:15]	27	Pass	Pass	Pass
28	XDB[5:15]	28	Pass	Pass	Pass	29	XDB[5:15]	29	Pass	Pass	Pass
30	XDB[5:15]	30	Pass	Pass	Pass	31	XDB[5:15]	31	Pass	Pass	Pass
32	XDB[5:15]	32	Pass	Pass	Pass	33	XDB[5:15]	33	Pass	Pass	Pass
34	XDB[5:15]	34	Pass	Pass	Pass	35	XDB[5:15]	35	Pass	Pass	Pass
36	XnINTR	36	Pass	Pass	Pass	37	XnSFCS[0:1]	37	Pass	Pass	Pass
38	XnSFCS[0:1]	38	Pass	Pass	Pass	39	XSCK	39	Pass	Pass	Pass
40	XMOSI	40	Pass	Pass	Pass	41	XMISO	41	Pass	Pass	Pass
44	XMBA[1:0]	44	Pass	Pass	Pass	45	XMBA[1:0]	45	Pass	Pass	Pass
46	XMA[12:0]	46	Pass	Pass	Pass	47	XMA[12:0]	47	Pass	Pass	Pass
48	XMA[12:0]	48	Pass	Pass	Pass	49	XMA[12:0]	49	Pass	Pass	Pass
50	XMA[12:0]	50	Pass	Pass	Pass	51	XMA[12:0]	51	Pass	Pass	Pass
52	XMA[12:0]	52	Pass	Pass	Pass	53	XMA[12:0]	53	Pass	Pass	Pass
54	XMA[12:0]	54	Pass	Pass	Pass	55	XMA[12:0]	55	Pass	Pass	Pass
56	XMA[12:0]	56	Pass	Pass	Pass	57	XMA[12:0]	57	Pass	Pass	Pass
58	XMA[12:0]	58	Pass	Pass	Pass	59	XNMCS	59	Pass	Pass	Pass
60	XMCKE	60	Pass	Pass	Pass	61	XMCLK	61	Pass	Pass	Pass
65	XnMCAS	65	Pass	Pass	Pass	66	XnMRAS	66	Pass	Pass	Pass
67	XnMWR	67	Pass	Pass	Pass	68	XMDQM0	68	Pass	Pass	Pass
69	XMD[0:5]	69	Pass	Pass	Pass	70	XMD[0:5]	70	Pass	Pass	Pass
71	XMD[0:5]	71	Pass	Pass	Pass	72	XMD[0:5]	72	Pass	Pass	Pass
73	XMD[0:5]	73	Pass	Pass	Pass	74	XMD[0:5]	74	Pass	Pass	Pass
77	XMD[6:7]	77	Pass	Pass	Pass	78	XMD[6:7]	78	Pass	Pass	Pass
79	XMDQM1	79	Pass	Pass	Pass	80	XMD[8:15]	80	Pass	Pass	Pass
81	XMD[8:15]	81	Pass	Pass	Pass	82	XMD[8:15]	82	Pass	Pass	Pass
83	XMD[8:15]	83	Pass	Pass	Pass	84	XMD[8:15]	84	Pass	Pass	Pass
85	XMD[8:15]	85	Pass	Pass	Pass	86	XMD[8:15]	86	Pass	Pass	Pass
87	XMD[8:15]	87	Pass	Pass	Pass	90	XPWM[0:1]	90	Pass	Pass	Pass
91	XPWM[0:1]	91	Pass	Pass	Pass	92	XKIN0	92	Pass	Pass	Pass
93	XVSYNC	93	Pass	Pass	Pass	94	XHSYNC	94	Pass	Pass	Pass
95	XDE	95	Pass	Pass	Pass	96	XPCLK	96	Pass	Pass	Pass
99	XPDAT[0:9]	99	Pass	Pass	Pass	100	XPDAT[0:9]	100	Pass	Pass	Pass
101	XPDAT[0:9]	101	Pass	Pass	Pass	102	XPDAT[0:9]	102	Pass	Pass	Pass
103	XPDAT[0:9]	103	Pass	Pass	Pass	104	XPDAT[0:9]	104	Pass	Pass	Pass
105	XPDAT[0:9]	105	Pass	Pass	Pass	106	XPDAT[0:9]	106	Pass	Pass	Pass



Proprietary, DO NOT COPY WITHOUT PERMISSION The content of this report is ONLY valid to the case of corresponding report number. Any page, or pages, of this report can not be used separately.

	IO(-)-Ground(Unit: V)												
Т	est Pin Fail Volta	ge	#01	#02	#03	Test Pin Fail Voltage			#01	#02	#03		
107	XPDAT[0:9]	107	Pass	Pass	Pass	108	XPDAT[0:9]	108	Pass	Pass	Pass		
112	XPDAT[10:18]	112	Pass	Pass	Pass	113	XPDAT[10:18]	113	Pass	Pass	Pass		
114	XPDAT[10:18]	114	Pass	Pass	Pass	115	XPDAT[10:18]	115	Pass	Pass	Pass		
116	XPDAT[10:18]	116	Pass	Pass	Pass	117	XPDAT[10:18]	117	Pass	Pass	Pass		
118	XPDAT[10:18]	118	Pass	Pass	Pass	119	XPDAT[10:18]	119	Pass	Pass	Pass		
120	XPDAT[10:18]	120	Pass	Pass	Pass	123	XPDAT[19:23]	123	Pass	Pass	Pass		
124	XPDAT[19:23]	124	Pass	Pass	Pass	125	XPDAT[19:23]	125	Pass	Pass	Pass		
126	XPDAT[19:23]	126	Pass	Pass	Pass	127	XPDAT[19:23]	127	Pass	Pass	Pass		
128	XKOUT0	128	Pass	Pass	Pass								



Power(+)-Ground(Unit: V)											
Test Pin Fail Voltage			#01	#02	#03	Test Pin Fail Voltage			#01	#02	#03
3	VDD33	3	Pass	Pass	Pass	4	LDO_CAP12	4	Pass	Pass	Pass
23	VDD33	23	Pass	Pass	Pass	42	VDD33	42	Pass	Pass	Pass
62	VDD33	62	Pass	Pass	Pass	63	LDO_CAP12	63	Pass	Pass	Pass
75	VDD33	75	Pass	Pass	Pass	88	VDD33	88	Pass	Pass	Pass
97	VDD33	97	Pass	Pass	Pass	109	VDD33	109	Pass	Pass	Pass
111	LDO_CAP12	111	Pass	Pass	Pass	121	VDD33	121	Pass	Pass	Pass

Power(-)-Ground(Unit: V)											
Test Pin Fail Voltage			#01	#02	#03	Test Pin Fail Voltage			#01	#02	#03
3	VDD33	3	Pass	Pass	Pass	4	LDO_CAP12	4	Pass	Pass	Pass
23	VDD33	23	Pass	Pass	Pass	42	VDD33	42	Pass	Pass	Pass
62	VDD33	62	Pass	Pass	Pass	63	LDO_CAP12	63	Pass	Pass	Pass
75	VDD33	75	Pass	Pass	Pass	88	VDD33	88	Pass	Pass	Pass
97	VDD33	97	Pass	Pass	Pass	109	VDD33	109	Pass	Pass	Pass
111	LDO_CAP12	111	Pass	Pass	Pass	121	VDD33	121	Pass	Pass	Pass




5. APPENDIX-1 (PASS/FAIL CRITERIA)

Report No: B150428021 Ver:A

FAILURE CRITERIA After testing, DUT no longer fulfills requirements of ± 30% voltage drift at ± 1uA reference current and compliance within 10% V+I envelope around REFERENCE I-V curve (pre-zap). Note

For custom designed ESD testing customers may select variation in Idd, and leakage current as criteria to determine pass/fail results of ESD testing.



Pass/Fail Criteria: Variation of Leakage Current and I-V Shift in Pre-Zap and Post-Zap curves



6. APPENDIX-2 (ESD INSTRUMENTATION AT MA-TEK)

Report No: B150428021 Ver:A

No.	Test Tools	Vendors	System Specification					
1	Zapmaster	Thermo Keytek	256 Pin Count, ESD Pulse 50 V to 8 KV					
2	MK2	Thermo Keytek	768 Pin Count, ESD Pulse 10 V to 8 KV					
3	MK1	Thermo Scientific	256 Pin Count, ESD Pulse 10 V to 8 KV					
4	CDM Tester	Oryx Orion	100 V to 2 KV					
5	ESD Gun	Noiseken	Voltage = 1 V to 1 KV, Current = 10 nA to 20 A					
6	High Temp. Test Module	Thermonics	Maximum temperature = 150°C.					
7	TLP Tester	Thermo Scientific	Voltage = 1 V to 1 KV, Current = 10 nA to 20 A					







DISCLAIMER:

1 This report is proprietary to the client and may not be copied, reproduced or referred (whether in whole or in part) to any other party by any means without the prior written consent of MA-tek.

本報告非經本公司事前書面同意,不得複製、轉載、提述(全部或部份內容)於他人。

2 The information contained in or referred to in this report is based solely on information, data and/or samples provided to MA-tek by the client. All of the contents of this report shall be treated as a whole. Any single page of this report shall not be used or interpreted separately.

本報告僅針對客戶提供的試樣作出技術分析,報告中的任意頁次不可以被拆解來單獨使用。

³ This report shall be used as technical reference only. Unless with the prior written consent of MA-tek, this report shall not be used for any other purpose, especially in legal disputes, nor be evidenced as MA-tek's opinions for any specific case.

本報告僅限於作技術參考,非經本公司事前書面之同意,此報告不得用於訴訟案件,亦不得做爲本公司就具體個案表示意見之證明。

