

Report No: B150608046 Ver:A

### **ELECTROSTATIC DISCHARGE (ESD) TESTING REPORT**

Applicant/Department: RAIO TECHNOLOGY	INC.
Product: RA8877	LOT:
Case NO: B150608046	Quantity: 18 ea
Test Item: Machine Model (MM)	Package/Pin Count: LQFP-128(14*14)
Application Date: 2015/6/10	Date Finished: 2015/6/10
Reference: JESD22-A115C	Temperature: 25 ± 5 °C Humidity: 55 ± 5%
Test Instrument: JB_ZAP-B	PD/ND/PS/NS/VDD(+)-VSS/VDD(-)-VSS Test Voltage: (±)200V ~ (±)400V Step: (±)100V

#### **Failure Criteria:**

After testing, DUT no longer fulfills requirements of  $\pm$  30% voltage drift at  $\pm$  1uA reference current and compliance within 10% V+I envelope around REFERENCE I-V curve (pre-zap).

File Name of Raw Data: 50610A\_E

ESD Testing Result: Minimum Pass Level = ±200V

NOTE 1: ESD/latch-up test is employed as one of qualification tests for electronic products.

However, the pass / fail results of this test can NOT be taken as go/no-go criteria for IC tape-out and mass production. Before and after ESD/latch-up test(s), complete parametric and functional testing (F/T) are essential for determining pass/fail of the tested products. (References: Page 9, AEC-Q100-003-Rev-E-2003;

and Page 15, ESDA-JEDEC JS-001-2011).

NOTE 2: MA-tek sample storage policy is 14 days after the test data delivery. Prolonged

storage can be arranged per client's request.

#### **WE HEREBY CERTIFY THAT:**

The test(s) was/were conducted according to test conditions provided by customer. Testing was performed on calibrated and JEDEC-ESDA qualified ESD instruments. The quality and comprehensiveness of this test(s) were delivered by qualified personnel.

Tested by	Reviewed by	Approved by
Marco Han	Andy Wang	Edward Au

#### **CERTIFICATE of APPROVAL INDEPENDENT TESTING LABORATORY:**

ISO9001:2008 Certificate Registration No. 20001845 QM08, issued by UL DQS Inc. IEC/IECQ17025 Certificate No. IECQ-L ULTW 09.0009, approved by Certification Body (CB): UL Registered Firm





Report No: B150608046 Ver:A

### **TABLE OF CONTENTS**

- 1. TEST SUMMARY
- 2. PIN ASSIGNMENT
- 3. ESD TESTING CONDITIONS
- 4. RAW DATA
- 5. APPENDIX-1 (PASS/FAIL CRITERIA)
- 6. APPENDIX-2 (ESD INSTRUMENTATION AT MA-TEK)





Report No: B150608046 Ver:A

### 1. TEST SUMMARY

	Pin Combination	Sample	Pass Level
	IO(+)-Power	3	+400V
Sensitivity Pass: ±200V	IO(-)-Power	3	-400V
	IO(+)-Ground	3	+400V
	IO(-)-Ground	3	-400V
Class-B	Power(+)-Ground	3	+400V
JESD22-A115C	Power(-)-Ground	3	-200V
Class-A: 0 V - < 200 V Class-B: 200 V - < 400 V Class-C: >= 400 V			

<sup>\*</sup> DUT failed at the first level of test condition, defined by client.

NOTE: Red color in raw data indicates failed pins, if any.



Report No: B150608046 Ver:A

### 2. Pin ASSIGNMENT

Pin Group	PAD Pins
Ю	1, 2, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 90, 91, 92, 93, 94, 95, 96, 99, 100, 101, 102, 103, 108, 109, 110, 111, 112, 113, 116, 117, 118, 119, 120, 121, 122, 125, 126, 127, 128
AVDD33	114
AVSSIO	115
LDO_CAP12	4 , 63 , 106
VDD33	3 , 23 , 42 , 62 , 75 , 88 , 97 , 104 , 123
VSS	5 , 24 , 43 , 64 , 76 , 89 , 98 , 105 , 107 , 124
	Ground=AVSSIO,VSS
	Power=AVDD33,LDO_CAP12,VDD33





Report No: B150608046 Ver:A

### 3. ESD TEST CONDITIONS

ESD Zap Interval:  $\geq 500 \text{ mS}$  Zap: 1 pulse.

**Testing Combinations** 

IO(+)-Power

IO(-)-Power

IO(+)-Ground

IO(-)-Ground

Power(+)-Ground

Power(-)-Ground





Report No: B150608046 Ver:A

	w Data - 2			IO	(+)-Pow	er(Unit:	V)				
Te	est Pin Fail Voltag	ge	#19	#20	#21		est Pin Fail Volta	ge	#19	#20	#21
1	ΧI	1	Pass	Pass	Pass	2	ХО	2	Pass	Pass	Pass
6	XTEST[2:0]	6	Pass	Pass	Pass	7	XTEST[2:0]	7	Pass	Pass	Pass
8	XTEST[2:0]	8	Pass	Pass	Pass	9	XPS[2:0]	9	Pass	Pass	Pass
10	XPS[2:0]	10	Pass	Pass	Pass	11	XPS[2:0]	11	Pass	Pass	Pass
12	XnRST	12	Pass	Pass	Pass	13	XnCS	13	Pass	Pass	Pass
14	XnRD_EN	14	Pass	Pass	Pass	15	XnWR_RWN	15	Pass	Pass	Pass
16	XA0	16	Pass	Pass	Pass	17	XnWAIT	17	Pass	Pass	Pass
18	XDB[0:4]	18	Pass	Pass	Pass	19	XDB[0:4]	19	Pass	Pass	Pass
20	XDB[0:4]	20	Pass	Pass	Pass	21	XDB[0:4]	21	Pass	Pass	Pass
22	XDB[0:4]	22	Pass	Pass	Pass	25	XDB[5:15]	25	Pass	Pass	Pass
26	XDB[5:15]	26	Pass	Pass	Pass	27	XDB[5:15]	27	Pass	Pass	Pass
28	XDB[5:15]	28	Pass	Pass	Pass	29	XDB[5:15]	29	Pass	Pass	Pass
30	XDB[5:15]	30	Pass	Pass	Pass	31	XDB[5:15]	31	Pass	Pass	Pass
32	XDB[5:15]	32	Pass	Pass	Pass	33	XDB[5:15]	33	Pass	Pass	Pass
34	XDB[5:15]	34	Pass	Pass	Pass	35	XDB[5:15]	35	Pass	Pass	Pass
36	XnINTR	36	Pass	Pass	Pass	37	XnSFCS[0:1]	37	Pass	Pass	Pass
38	XnSFCS[0:1]	38	Pass	Pass	Pass	39	XSCK	39	Pass	Pass	Pass
40	XMOSI	40	Pass	Pass	Pass	41	XMISO	41	Pass	Pass	Pass
44	XMBA[1:0]	44	Pass	Pass	Pass	45	XMBA[1:0]	45	Pass	Pass	Pass
46	XMA[12:0]	46	Pass	Pass	Pass	47	XMA[12:0]	47	Pass	Pass	Pass
48	XMA[12:0]	48	Pass	Pass	Pass	49	XMA[12:0]	49	Pass	Pass	Pass
50	XMA[12:0]	50	Pass	Pass	Pass	51	XMA[12:0]	51	Pass	Pass	Pass
52	XMA[12:0]	52	Pass	Pass	Pass	53	XMA[12:0]	53	Pass	Pass	Pass
54	XMA[12:0]	54	Pass	Pass	Pass	55	XMA[12:0]	55	Pass	Pass	Pass
56	XMA[12:0]	56	Pass	Pass	Pass	57	XMA[12:0]	57	Pass	Pass	Pass
58	XMA[12:0]	58	Pass	Pass	Pass	59	XNMCS	59	Pass	Pass	Pass
60	XMCKE	60	Pass	Pass	Pass	61	XMCLK	61	Pass	Pass	Pass
65	XnMCAS	65	Pass	Pass	Pass	66	XnMRAS	66	Pass	Pass	Pass
67	XnMWR	67	Pass	Pass	Pass	68	XMDQM0	68	Pass	Pass	Pass
69	XMD[0:5]	69	Pass	Pass	Pass	70	XMD[0:5]	70	Pass	Pass	Pass
71	XMD[0:5]	71	Pass Pass	Pass Pass	Pass Pass	72	XMD[0:5]	72	Pass Pass	Pass Pass	Pass Pass
73 77	XMD[0:5] XMD[6:7]	73	Pass	Pass	Pass	74 78	XMD[0:5] XMD[6:7]	74 78	Pass	Pass	Pass
79	XMDQM1	77 79	Pass	Pass	Pass	80	XMD[8:7] XMD[8:15]	80	Pass	Pass	Pass
81	XMD[8:15]	81	Pass	Pass	Pass	82	XMD[8:15]	82	Pass	Pass	Pass
83	XMD[8:15]	83	Pass	Pass	Pass	84	XMD[8:15]	84	Pass	Pass	Pass
85	XMD[8:15]	85	Pass	Pass	Pass	86	XMD[8:15]	86	Pass	Pass	Pass
87	XMD[8:15]	87	Pass	Pass	Pass	90	XPWM[0:1]	90	Pass	Pass	Pass
91	XPWM[0:1]	91	Pass	Pass	Pass	92	XKIN[0:4]	92	Pass	Pass	Pass
93	XKIN[0:4]	93	Pass	Pass	Pass	94	XKIN[0:4]	94	Pass	Pass	Pass
95	XKIN[0:4]	95	Pass	Pass	Pass	96	XKIN[0:4]	96	Pass	Pass	Pass
99	XGPIO_D[0:1]	99	Pass	Pass	Pass	100	XGPIO_D[0:1]	100	Pass	Pass	Pass
101	XGPIO_D6	101	Pass	Pass	Pass	102	XGPIO_D[2:3]	102	Pass	Pass	Pass
103	XGPIO_D[2:3]	103	Pass	Pass	Pass	108	XTX3N/P	108	Pass	Pass	Pass
109	XTX3N/P	109	Pass	Pass	Pass	110	XTX2N/P	110	Pass	Pass	Pass



Report No: B150608046 Ver:A

	IO(+)-Power(Unit: V)													
Te	est Pin Fail Volta	ge	#19	#20	#21	Test Pin Fail Voltage			#19	#20	#21			
111	XTX2N/P	111	Pass	Pass	Pass	112	XCKN/P	112	Pass	Pass	Pass			
113	XCKN/P	113	Pass	Pass	Pass	116	XTX1N/P	116	Pass	Pass	Pass			
117	XTX1N/P	117	Pass	Pass	Pass	118	XTX0N/P	118	Pass	Pass	Pass			
119	XTX0N/P	119	Pass	Pass	Pass	120	XGPIO_D[4:5]	120	Pass	Pass	Pass			
121	XGPIO_D[4:5]	121	Pass	Pass	Pass	122	XGPIO_D7	122	Pass	Pass	Pass			
125	XKOUT[0:3]	125	Pass	Pass	Pass	126	XKOUT[0:3]	126	Pass	Pass	Pass			
127	XKOUT[0:3]	127	Pass	Pass	Pass	128	XKOUT[0:3]	128	Pass	Pass	Pass			



Report No: B150608046 Ver:A

IO(-)-Power(Unit: V)												
Te	est Pin Fail Volta	ge	#22	#23	#24	,	est Pin Fail Volta	ge	#22	#23	#24	
1	ΧI	1	Pass	Pass	Pass	2	хо	2	Pass	Pass	Pass	
6	XTEST[2:0]	6	Pass	Pass	Pass	7	XTEST[2:0]	7	Pass	Pass	Pass	
8	XTEST[2:0]	8	Pass	Pass	Pass	9	XPS[2:0]	9	Pass	Pass	Pass	
10	XPS[2:0]	10	Pass	Pass	Pass	11	XPS[2:0]	11	Pass	Pass	Pass	
12	XnRST	12	Pass	Pass	Pass	13	XnCS	13	Pass	Pass	Pass	
14	XnRD_EN	14	Pass	Pass	Pass	15	XnWR_RWN	15	Pass	Pass	Pass	
16	XA0	16	Pass	Pass	Pass	17	XnWAIT	17	Pass	Pass	Pass	
18	XDB[0:4]	18	Pass	Pass	Pass	19	XDB[0:4]	19	Pass	Pass	Pass	
20	XDB[0:4]	20	Pass	Pass	Pass	21	XDB[0:4]	21	Pass	Pass	Pass	
22	XDB[0:4]	22	Pass	Pass	Pass	25	XDB[5:15]	25	Pass	Pass	Pass	
26	XDB[5:15]	26	Pass	Pass	Pass	27	XDB[5:15]	27	Pass	Pass	Pass	
28	XDB[5:15]	28	Pass	Pass	Pass	29	XDB[5:15]	29	Pass	Pass	Pass	
30	XDB[5:15]	30	Pass	Pass	Pass	31	XDB[5:15]	31	Pass	Pass	Pass	
32	XDB[5:15]	32	Pass	Pass	Pass	33	XDB[5:15]	33	Pass	Pass	Pass	
34	XDB[5:15]	34	Pass	Pass	Pass	35	XDB[5:15]	35	Pass	Pass	Pass	
36	XnINTR	36	Pass	Pass	Pass	37	XnSFCS[0:1]	37	Pass	Pass	Pass	
38	XnSFCS[0:1]	38	Pass	Pass	Pass	39	XSCK	39	Pass	Pass	Pass	
40	XMOSI	40	Pass Pass	Pass Pass	Pass Pass	41	XMISO	41	Pass Pass	Pass Pass	Pass Pass	
44 46	XMBA[1:0]	44 46	Pass	Pass	Pass	45 47	XMBA[1:0] XMA[12:0]	45 47	Pass	Pass	Pass	
48	XMA[12:0] XMA[12:0]	48	Pass	Pass	Pass	49	XMA[12:0] XMA[12:0]	49	Pass	Pass	Pass	
50	XMA[12:0]	50	Pass	Pass	Pass	51	XMA[12:0]	51	Pass	Pass	Pass	
52	XMA[12:0]	52	Pass	Pass	Pass	53	XMA[12:0]	53	Pass	Pass	Pass	
54	XMA[12:0]	54	Pass	Pass	Pass	55	XMA[12:0]	55	Pass	Pass	Pass	
56	XMA[12:0]	56	Pass	Pass	Pass	57	XMA[12:0]	57	Pass	Pass	Pass	
58	XMA[12:0]	58	Pass	Pass	Pass	59	XNMCS	59	Pass	Pass	Pass	
60	XMCKE	60	Pass	Pass	Pass	61	XMCLK	61	Pass	Pass	Pass	
65	XnMCAS	65	Pass	Pass	Pass	66	XnMRAS	66	Pass	Pass	Pass	
67	XnMWR	67	Pass	Pass	Pass	68	XMDQM0	68	Pass	Pass	Pass	
69	XMD[0:5]	69	Pass	Pass	Pass	70	XMD[0:5]	70	Pass	Pass	Pass	
71	XMD[0:5]	71	Pass	Pass	Pass	72	XMD[0:5]	72	Pass	Pass	Pass	
73	XMD[0:5]	73	Pass	Pass	Pass	74	XMD[0:5]	74	Pass	Pass	Pass	
77	XMD[6:7]	77	Pass	Pass	Pass	78	XMD[6:7]	78	Pass	Pass	Pass	
79	XMDQM1	79	Pass	Pass	Pass	80	XMD[8:15]	80	Pass	Pass	Pass	
81	XMD[8:15]	81	Pass	Pass	Pass	82	XMD[8:15]	82	Pass	Pass	Pass	
83	XMD[8:15]	83	Pass	Pass	Pass	84	XMD[8:15]	84	Pass	Pass	Pass	
85	XMD[8:15]	85	Pass	Pass	Pass	86	XMD[8:15]	86	Pass	Pass	Pass	
87	XMD[8:15]	87	Pass	Pass	Pass	90	XPWM[0:1]	90	Pass	Pass	Pass	
91	XPWM[0:1]	91	Pass	Pass	Pass	92	XKIN[0:4]	92	Pass	Pass	Pass	
93	XKIN[0:4]	93	Pass Pass	Pass Pass	Pass Pass	94	XKIN[0:4]	94 96	Pass Pass	Pass Pass	Pass Pass	
95 99	XKIN[0:4] XGPIO_D[0:1]	95 99	Pass	Pass	Pass	96 100	XKIN[0:4] XGPIO_D[0:1]	100	Pass	Pass	Pass	
101	XGPIO_D[0.1]	101	Pass	Pass	Pass	100	XGPIO_D[0.1] XGPIO_D[2:3]	100	Pass	Pass	Pass	
103	XGPIO_D6 XGPIO_D[2:3]	103	Pass	Pass	Pass	102	XTX3N/P	102	Pass	Pass	Pass	
109	XTX3N/P	109	Pass	Pass	Pass	110	XTX2N/P	110	Pass	Pass	Pass	
108	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	108	. 433	. 433	. 433	110	7174IV/F	110	. 433	. 433	. 433	



Report No: B150608046 Ver:A

	IO(-)-Power(Unit: V)													
Te	est Pin Fail Volta	ge	#22	#23	#24	Te	Test Pin Fail Voltage			#23	#24			
111	XTX2N/P	111	Pass	Pass	Pass	112	XCKN/P	112	Pass	Pass	Pass			
113	XCKN/P	113	Pass	Pass	Pass	116	XTX1N/P	116	Pass	Pass	Pass			
117	XTX1N/P	117	Pass	Pass	Pass	118	XTX0N/P	118	Pass	Pass	Pass			
119	XTX0N/P	119	Pass	Pass	Pass	120	XGPIO_D[4:5]	120	Pass	Pass	Pass			
121	XGPIO_D[4:5]	121	Pass	Pass	Pass	122	XGPIO_D7	122	Pass	Pass	Pass			
125	XKOUT[0:3]	125	Pass	Pass	Pass	126	XKOUT[0:3]	126	Pass	Pass	Pass			
127	XKOUT[0:3]	127	Pass	Pass	Pass	128	XKOUT[0:3]	128	Pass	Pass	Pass			



Report No: B150608046 Ver:A

4. IXa	w Data - 2			IO(	+)-Grou	ınd(Unit	: V)				
T	est Pin Fail Voltag	ae	#25	#26	#27		est Pin Fail Voltag	ae	#25	#26	#27
1	XI	1	Pass	Pass	Pass	2	хо	2	Pass	Pass	Pass
6	XTEST[2:0]	6	Pass	Pass	Pass	7	XTEST[2:0]	7	Pass	Pass	Pass
8	XTEST[2:0]	8	Pass	Pass	Pass	9	XPS[2:0]	9	Pass	Pass	Pass
10	XPS[2:0]	10	Pass	Pass	Pass	11	XPS[2:0]	11	Pass	Pass	Pass
12	XnRST	12	Pass	Pass	Pass	13	XnCS	13	Pass	Pass	Pass
14	XnRD_EN	14	Pass	Pass	Pass	15	XnWR_RWN	15	Pass	Pass	Pass
16	XA0	16	Pass	Pass	Pass	17	XnWAIT	17	Pass	Pass	Pass
18	XDB[0:4]	18	Pass	Pass	Pass	19	XDB[0:4]	19	Pass	Pass	Pass
20	XDB[0:4]	20	Pass	Pass	Pass	21	XDB[0:4]	21	Pass	Pass	Pass
22	XDB[0:4]	22	Pass	Pass	Pass	25	XDB[5:15]	25	Pass	Pass	Pass
26	XDB[5:15]	26	Pass	Pass	Pass	27	XDB[5:15]	27	Pass	Pass	Pass
28	XDB[5:15]	28	Pass	Pass	Pass	29	XDB[5:15]	29	Pass	Pass	Pass
30	XDB[5:15]	30	Pass	Pass	Pass	31	XDB[5:15]	31	Pass	Pass	Pass
32	XDB[5:15]	32	Pass	Pass	Pass	33	XDB[5:15]	33	Pass	Pass	Pass
34	XDB[5:15]	34	Pass	Pass	Pass	35	XDB[5:15]	35	Pass	Pass	Pass
36	XnINTR	36	Pass	Pass	Pass	37	XnSFCS[0:1]	37	Pass	Pass	Pass
38	XnSFCS[0:1]	38	Pass	Pass	Pass	39	XSCK	39	Pass	Pass	Pass
40	XMOSI	40	Pass	Pass	Pass	41	XMISO	41	Pass	Pass	Pass
44	XMBA[1:0]	44	Pass	Pass	Pass	45	XMBA[1:0]	45	Pass	Pass	Pass
46	XMA[12:0]	46	Pass	Pass	Pass	47	XMA[12:0]	47	Pass	Pass	Pass
48	XMA[12:0]	48	Pass	Pass	Pass	49	XMA[12:0]	49	Pass	Pass	Pass
50	XMA[12:0]	50	Pass	Pass	Pass	51	XMA[12:0]	51	Pass	Pass	Pass
52	XMA[12:0]	52	Pass	Pass	Pass	53	XMA[12:0]	53	Pass	Pass	Pass
54	XMA[12:0]	54	Pass	Pass	Pass	55	XMA[12:0]	55	Pass	Pass	Pass
56	XMA[12:0]	56	Pass	Pass	Pass	57	XMA[12:0]	57	Pass	Pass	Pass
58	XMA[12:0]	58	Pass	Pass	Pass	59	XNMCS	59	Pass	Pass	Pass
60	XMCKE	60	Pass	Pass	Pass	61	XMCLK	61	Pass	Pass	Pass
65	XnMCAS	65	Pass	Pass	Pass	66	XnMRAS	66	Pass	Pass	Pass
67	XnMWR	67	Pass	Pass	Pass	68	XMDQM0	68	Pass	Pass	Pass
69	XMD[0:5]	69	Pass	Pass	Pass	70	XMD[0:5]	70	Pass	Pass	Pass
71	XMD[0:5]	71	Pass	Pass	Pass	72	XMD[0:5]	72	Pass	Pass	Pass
73	XMD[0:5]	73	Pass	Pass	Pass	74	XMD[0:5]	74	Pass	Pass	Pass
77	XMD[6:7]	77	Pass	Pass	Pass	78	XMD[6:7]	78	Pass	Pass	Pass
79	XMDQM1	79	Pass	Pass	Pass	80	XMD[8:15]	80	Pass	Pass	Pass
81	XMD[8:15]	81	Pass	Pass	Pass	82	XMD[8:15]	82	Pass	Pass	Pass
83	XMD[8:15]	83	Pass	Pass	Pass	84	XMD[8:15]	84	Pass	Pass	Pass Pass
85	XMD[8:15]	85 97	Pass Pass	Pass Pass	Pass Pass	86	XMD[8:15]	86	Pass Pass	Pass Pass	Pass
87	XMD[8:15]	87	Pass	Pass	Pass	90	XPWM[0:1]	90	Pass	Pass	Pass
91 93	XPWM[0:1]	91	Pass	Pass	Pass	92	XKIN[0:4]	92	Pass	Pass	Pass
95	XKIN[0:4]	93 95	Pass	Pass	Pass	94 96	XKIN[0:4]	94 96	Pass	Pass	Pass
99	XKIN[0:4]	99	Pass	Pass	Pass	100	XKIN[0:4]		Pass	Pass	Pass
101	XGPIO_D[0:1] XGPIO_D6	101	Pass	Pass	Pass	100	XGPIO_D[0:1] XGPIO_D[2:3]	100 102	Pass	Pass	Pass
103	XGPIO_D6 XGPIO_D[2:3]	103	Pass	Pass	Pass	102	XTX3N/P	102	Pass	Pass	Pass
109	XTX3N/P	109	Pass	Pass	Pass	110	XTX2N/P	110	Pass	Pass	Pass
เบฮ	VIVOIN/L	103	1 433	1 433	1 433	110	ΛΙΛΖΙΝ/Γ	110	1 433	1 433	1 433



Report No: B150608046 Ver:A

	IO(+)-Ground(Unit: V)													
Te	est Pin Fail Voltag	ge	#25	#26	#27	Test Pin Fail Voltage			#25	#26	#27			
111	XTX2N/P	111	Pass	Pass	Pass	112	XCKN/P	112	Pass	Pass	Pass			
113	XCKN/P	113	Pass	Pass	Pass	116	XTX1N/P	116	Pass	Pass	Pass			
117	XTX1N/P	117	Pass	Pass	Pass	118	XTX0N/P	118	Pass	Pass	Pass			
119	XTX0N/P	119	Pass	Pass	Pass	120	XGPIO_D[4:5]	120	Pass	Pass	Pass			
121	XGPIO_D[4:5]	121	Pass	Pass	Pass	122	XGPIO_D7	122	Pass	Pass	Pass			
125	XKOUT[0:3]	125	Pass	Pass	Pass	126	XKOUT[0:3]	126	Pass	Pass	Pass			
127	XKOUT[0:3]	127	Pass	Pass	Pass	128	XKOUT[0:3]	128	Pass	Pass	Pass			



Report No: B150608046 Ver:A

IO(-)-Ground(Unit: V)											
					`	,	•				
Te	est Pin Fail Volta		#28	#29	#30		est Pin Fail Volta		#28	#29	#30
1	ΧI	1	Pass	Pass	Pass	2	XO	2	Pass	Pass	Pass
6	XTEST[2:0]	6	Pass	Pass	Pass	7	XTEST[2:0]	7	Pass	Pass	Pass
8	XTEST[2:0]	8	Pass	Pass	Pass	9	XPS[2:0]	9	Pass	Pass	Pass
10	XPS[2:0]	10	Pass	Pass	Pass	11	XPS[2:0]	11	Pass	Pass	Pass
12	XnRST	12	Pass	Pass	Pass	13	XnCS	13	Pass	Pass	Pass
14	XnRD_EN	14	Pass	Pass	Pass	15	XnWR_RWN	15	Pass	Pass	Pass
16	XA0	16	Pass	Pass	Pass	17	XnWAIT	17	Pass	Pass	Pass
18	XDB[0:4]	18	Pass	Pass	Pass	19	XDB[0:4]	19	Pass	Pass	Pass
20	XDB[0:4]	20	Pass	Pass	Pass	21	XDB[0:4]	21	Pass	Pass	Pass
22	XDB[0:4]	22	Pass	Pass	Pass	25	XDB[5:15]	25	Pass	Pass	Pass
26	XDB[5:15]	26	Pass	Pass	Pass	27	XDB[5:15]	27	Pass	Pass	Pass
28	XDB[5:15]	28	Pass	Pass	Pass	29	XDB[5:15]	29	Pass	Pass	Pass
30	XDB[5:15]	30	Pass	Pass	Pass	31	XDB[5:15]	31	Pass	Pass	Pass
32	XDB[5:15]	32	Pass	Pass	Pass	33	XDB[5:15]	33	Pass	Pass	Pass
34	XDB[5:15] XDB[5:15]	34	Pass	Pass	Pass	35	XDB[5:15] XDB[5:15]	35	Pass	Pass	Pass
36	XnINTR	36	Pass	Pass	Pass	37	XnSFCS[0:1]	37	Pass	Pass	Pass
38	XnSFCS[0:1]	38	Pass	Pass	Pass	39	XSCK		Pass	Pass	Pass
40			Pass	Pass	Pass			39	Pass	Pass	Pass
	XMOSI	40	Pass	Pass	Pass	41	XMISO	41	Pass	Pass	Pass
44	XMBA[1:0]	44	Pass	Pass	Pass	45	XMBA[1:0]	45	Pass	Pass	Pass
46	XMA[12:0]	46			Pass	47	XMA[12:0]	47	Pass	Pass	Pass
48	XMA[12:0]	48	Pass	Pass		49	XMA[12:0]	49			
50	XMA[12:0]	50	Pass	Pass	Pass	51	XMA[12:0]	51	Pass	Pass	Pass
52	XMA[12:0]	52	Pass	Pass	Pass	53	XMA[12:0]	53	Pass	Pass	Pass
54	XMA[12:0]	54	Pass	Pass	Pass	55	XMA[12:0]	55	Pass	Pass	Pass
56	XMA[12:0]	56	Pass	Pass	Pass	57	XMA[12:0]	57	Pass	Pass	Pass
58	XMA[12:0]	58	Pass	Pass	Pass	59	XNMCS	59	Pass	Pass	Pass
60	XMCKE	60	Pass	Pass	Pass	61	XMCLK	61	Pass	Pass	Pass
65	XnMCAS	65	Pass	Pass	Pass	66	XnMRAS	66	Pass	Pass	Pass
67	XnMWR	67	Pass	Pass	Pass	68	XMDQM0	68	Pass	Pass	Pass
69	XMD[0:5]	69	Pass	Pass	Pass	70	XMD[0:5]	70	Pass	Pass	Pass
71	XMD[0:5]	71	Pass	Pass	Pass	72	XMD[0:5]	72	Pass	Pass	Pass
73	XMD[0:5]	73	Pass	Pass	Pass	74	XMD[0:5]	74	Pass	Pass	Pass
77	XMD[6:7]	77	Pass	Pass	Pass	78	XMD[6:7]	78	Pass	Pass	Pass
79	XMDQM1	79	Pass	Pass	Pass	80	XMD[8:15]	80	Pass	Pass	Pass
81	XMD[8:15]	81	Pass	Pass	Pass	82	XMD[8:15]	82	Pass	Pass	Pass
83	XMD[8:15]	83	Pass	Pass	Pass	84	XMD[8:15]	84	Pass	Pass	Pass
85	XMD[8:15]	85	Pass	Pass	Pass	86	XMD[8:15]	86	Pass	Pass	Pass
87	XMD[8:15]	87	Pass	Pass	Pass	90	XPWM[0:1]	90	Pass	Pass	Pass
91	XPWM[0:1]	91	Pass	Pass	Pass	92	XKIN[0:4]	92	Pass	Pass	Pass
93	XKIN[0:4]	93	Pass	Pass	Pass	94	XKIN[0:4]	94	Pass	Pass	Pass
95	XKIN[0:4]	95	Pass	Pass	Pass	96	XKIN[0:4]	96	Pass	Pass	Pass
99	XGPIO_D[0:1]	99	Pass	Pass	Pass	100	XGPIO_D[0:1]	100	Pass	Pass	Pass
101	XGPIO_D6	101	Pass	Pass	Pass	102	XGPIO_D[2:3]	102	Pass	Pass	Pass
103	XGPIO_D[2:3]	103	Pass	Pass	Pass	108	XTX3N/P	108	Pass	Pass	Pass
109	XTX3N/P	109	Pass	Pass	Pass	110	XTX2N/P	110	Pass	Pass	Pass



Report No: B150608046 Ver:A

				IO	(-)-Grou	nd(Unit:	: V)				
T	est Pin Fail Volta	t Pin Fail Voltage #28 #29 #30 Test Pin Fail Voltage				#28	#29	#30			
111	XTX2N/P	111	Pass	Pass	Pass	112	XCKN/P	112	Pass	Pass	Pass
113	XCKN/P	113	Pass	Pass	Pass	116	XTX1N/P	116	Pass	Pass	Pass
117	XTX1N/P	117	Pass	Pass	Pass	118	XTX0N/P	118	Pass	Pass	Pass
119	XTX0N/P	119	Pass	Pass	Pass	120	XGPIO_D[4:5]	120	Pass	Pass	Pass
121	XGPIO_D[4:5]	121	Pass	Pass	Pass	122	XGPIO_D7	122	Pass	Pass	Pass
125	XKOUT[0:3]	125	Pass	Pass	Pass	126	XKOUT[0:3]	126	Pass	Pass	Pass
127	XKOUT[0:3]	127	Pass	Pass	Pass	128	XKOUT[0:3]	128	Pass	Pass	Pass



Report No: B150608046 Ver:A

Power(+)-Ground(Unit: V)											
Te	Test Pin Fail Voltage			#32	#33	Test Pin Fail Voltage			#31	#32	#33
3	VDD33	3	Pass	Pass	Pass	4	LDO_CAP12	4	Pass	Pass	Pass
23	VDD33	23	Pass	Pass	Pass	42	VDD33	42	Pass	Pass	Pass
62	VDD33	62	Pass	Pass	Pass	63	LDO_CAP12	63	Pass	Pass	Pass
75	VDD33	75	Pass	Pass	Pass	88	VDD33	88	Pass	Pass	Pass
97	VDD33	97	Pass	Pass	Pass	104	VDD33	104	Pass	Pass	Pass
106	LDO_CAP12	106	Pass	Pass	Pass	114	AVDD33	114	Pass	Pass	Pass
123	VDD33	123	Pass	Pass	Pass						

	Power(-)-Ground(Unit: V)										
Te	Test Pin Fail Voltage			#35	#36	Test Pin Fail Voltage			#34	#35	#36
3	VDD33	3	Pass	Pass	Pass	4	LDO_CAP12	4	Pass	Pass	Pass
23	VDD33	23	Pass	Pass	Pass	42	VDD33	42	Pass	Pass	Pass
62	VDD33	62	Pass	Pass	Pass	63	LDO_CAP12	63	Pass	Pass	Pass
75	VDD33	75	Pass	Pass	Pass	88	VDD33	88	Pass	Pass	Pass
97	VDD33	97	Pass	Pass	Pass	104	VDD33	104	Pass	Pass	Pass
106	LDO_CAP12	106	-300	Pass	-300	114	AVDD33	114	Pass	Pass	Pass
123	VDD33	123	Pass	Pass	Pass						

Report No: B150608046 Ver:A


### 5. APPENDIX-1 (PASS/FAIL CRITERIA)

#### **FAILURE CRITERIA**

After testing, DUT no longer fulfills requirements of  $\pm$  30% voltage drift at  $\pm$  1uA reference current and compliance within 10% V+I envelope around REFERENCE I-V curve (pre-zap).

Note

For custom designed ESD testing customers may select variation in Idd, and leakage current as criteria to determine pass/fail results of ESD testing.



Pass/Fail Criteria: Variation of Leakage Current and I-V Shift in Pre-Zap and Post-Zap curves

Report No: B150608046 Ver:A

### 6. APPENDIX-2 (ESD INSTRUMENTATION AT MA-TEK)

No.	Test Tools	Vendors	System Specification					
1	Zapmaster	Thermo Keytek	256 Pin Count, ESD Pulse 50 V to 8 KV					
2	MK2	Thermo Keytek	768 Pin Count, ESD Pulse 10 V to 8 KV					
3	MK1	Thermo Scientific	256 Pin Count, ESD Pulse 10 V to 8 KV					
4	CDM Tester	Oryx Orion	100 V to 2 KV					
5	ESD Gun	Noiseken	Voltage = 1 V to 1 KV, Current = 10 nA to 20 A					
6	High Temp. Test Module	Thermonics	Maximum temperature = 150°C.					
7	TLP Tester	Thermo Scientific	Voltage = 1 V to 1 KV, Current = 10 nA to 20 A					

















Report No: B150608046 Ver:A

#### **DISCLAIMER:**

- 1 This report is proprietary to the client and may not be copied, reproduced or referred (whether in whole or in part) to any other party by any means without the prior written consent of MA-tek.
  - 本報告非經本公司事前書面同意,不得複製、轉載、提述(全部或部份內容)於他人。
- 2 The information contained in or referred to in this report is based solely on information, data and/or samples provided to MA-tek by the client. All of the contents of this report shall be treated as a whole. Any single page of this report shall not be used or interpreted separately.
  - 本報告僅針對客戶提供的試樣作出技術分析,報告中的任意頁次不可以被拆解來單獨使用。
- 3 This report shall be used as technical reference only. Unless with the prior written consent of MA-tek, this report shall not be used for any other purpose, especially in legal disputes, nor be evidenced as MA-tek's opinions for any specific case.
  - 本報告僅限於作技術參考,非經本公司事前書面之同意,此報告不得用於訴訟案件,亦不得做爲本公司就具體個案表示意見之證明。

